

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L1    | 6783 | 709/203.ccls.   | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:41 |
| L2    | 102  | I1 and (access with central with storage) with (read or write)            | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:44 |
| L3    | 0    | I2 and diskless   | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:43 |
| L4    | 5    | I2 and (thin adj2 client)   | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:43 |
| L5    | 18   | 709/250.ccls. and (access with central with storage) with (read or write) | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:44 |
| L6    | 0    | I5 and (thin or diskless) near2 (client\$1 or device or computer)         | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:44 |
| L7    | 350  | I1 and (thin or diskless) near2 (client\$1 or device or computer)         | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:44 |
| L8    | 7    | I7 and central near2 storage  | US-PGPUB;<br>USPAT;<br>EPO                                   | OR               | ON      | 2006/08/17 16:45 |
| S1    | 1317 | 709/250.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 16:48 |
| S2    | 55   | S1 and plural\$3 adj2 client\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 16:49 |
| S3    | 3    | S1 and diskless adj (client\$1 or computer\$1)                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/04 16:49 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S4  | 22 | S1 and diskless  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 17:10 |
| S5  | 20 | diskless adj (client\$1 or computer\$1) and interface adj card         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 17:30 |
| S6  | 9  | diskless adj (client\$1 or computer\$1) and IDE and PCI                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:06 |
| S7  | 2  | "6421711".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 17:32 |
| S8  | 1  | diskless adj (client\$1 or computer\$1) with (expansion adj slot)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:07 |
| S9  | 1  | diskless adj (client\$1 or computer\$1) with slot                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:08 |
| S10 | 0  | diskless adj (client\$1 or computer\$1) with ((PCI with IDE)with slot) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:09 |
| S11 | 0  | diskless adj (client\$1 or computer\$1) with (PCI with IDE)            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:10 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S12 | 0   | diskless adj (client\$1 or computer\$1) with (PCI or IDE)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:10 |
| S13 | 0   | (diskless adj (client\$1 or computer\$1)) with (PCI or IDE)         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:10 |
| S14 | 114 | (diskless adj (client\$1 or computer\$1))                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:10 |
| S15 | 8   | S14 and expansion adj slot  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/04 18:11 |
| S16 | 29  | (interface adj card) with (receive adj2 command)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:03 |
| S17 | 0   | (receive adj2 ((read or write) adj2 command)) with pack\$1          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:06 |
| S18 | 0   | ((pack\$2 or prepare\$1) adj2 message) with identifier and diskless | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:14 |
| S19 | 152 | ((pack\$2 or prepare\$1) adj2 message) with identifier              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:14 |

## EAST Search History

|     |       |  |  |    |    |                  |
|-----|-------|--|--|----|----|------------------|
| S20 | 24034 | S19 and read or write with request\$1            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:14 |
| S21 | 19    | S19 and (read or write) with request\$1          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:19 |
| S22 | 90    | (pack and unpack) with packet\$1                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:27 |
| S23 | 153   | receive adj opcode                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:27 |
| S24 | 0     | S23 and (prepare or pack) adj2 packet\$1         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:28 |
| S25 | 50    | S23 and command                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:33 |
| S26 | 2     | logical adj circuit\$1 with pack\$3 adj2 command | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:34 |
| S27 | 8950  | pack\$3 adj2 (command\$1 or message\$1)          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:35 |

## EAST Search History

|     |         |  |  |    |    |                  |
|-----|---------|--|--|----|----|------------------|
| S28 | 342334  | S27 and receive\$1 adj2 command or message                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:35 |
| S29 | 4974    | S27 and receive\$1 adj2 (command or message)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 13:35 |
| S30 | 14      | S29 and logical adj circuit\$1   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 14:16 |
| S31 | 2       | "6421711".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/05 14:16 |
| S32 | 1357159 | diskless adj client\$1 or computer\$1                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/07 09:44 |
| S33 | 114     | diskless adj (client\$1 or computer\$1)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/04/07 09:44 |
| S34 | 531     | pack\$3 near3 (read or write) near3 command\$1 near3 (packet or package) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/25 18:09 |
| S35 | 0       | S34 and diskless near2 (client or computer or host)                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/25 17:16 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S36 | 0   | S34 and hard near2 disk near2 access near2 command  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 17:17 |
| S37 | 11  | S34 and disk near2 access near2 (command or request)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 18:07 |
| S38 | 399 | S34 and packet with address   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 18:08 |
| S39 | 3   | S38 and 709/217.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 18:08 |
| S40 | 536 | (pack\$3 or prepare or generat\$3) near3 (read or write) near3 command\$1 near3 (packet or package) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 18:10 |
| S41 | 3   | S40 and 709/217.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/25 18:10 |
| S42 | 68  | ( prepare or generat\$3) near3 (read or write) near3 command\$1 near3 (packet or package)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/26 11:15 |
| S43 | 2   | ("6421711").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/07/26 11:15 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S44 | 8119 | 709/250,203,216.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:40 |
| S45 | 0    | S44 and (receiv\$2 near3 (read or write) near3 (command\$1 or signal\$1) near3 (user\$1 or client\$1) near3 (pack\$3 or transform\$3 or generat\$3) near3 packet)                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:42 |
| S46 | 10   | S44 and (receiv\$2 near3 (read or write) near3 (command\$1 or signal\$1) near3 (user\$1 or client\$1))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:44 |
| S47 | 1    | S44 and (IDE with PCI with transform)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:48 |
| S48 | 1    | (IDE with PCI with transform)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:48 |
| S49 | 33   | S44 and (IDE with PCI)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 14:48 |
| S50 | 0    | ((transform\$3 or chang\$3 or convert\$3) near4 (IDE or (integrated adj device adj electronic\$1)) near4 (signal\$1 or command\$1 or request\$1) near4 (peripheral adj component adj interconnect)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 16:39 |
| S51 | 2    | ((transform\$3 or chang\$3 or convert\$3) with (IDE or (integrated adj device adj electronic\$1)) with (signal\$1 or command\$1 or request\$1) with (peripheral adj component adj interconnect))    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/04/05 16:40 |

## EAST Search History

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| S52 | 3  | ((transform\$3 or chang\$3 or convert\$3) with (IDE or (integrated adj device adj electronic\$1)) with (peripheral adj component adj interconnect)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/05 17:26 |
| S53 | 2  | ("6587866").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/04/05 17:26 |
| S54 | 77 | (RAID or IDE) near2 controller near2 network  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/06 14:33 |
| S55 | 1  | (transform\$3 or convert\$3) with format with (PCI near2 bus) with (IDE near2 bus)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/06 14:35 |
| S56 | 1  | (transform\$3 or convert\$3) with (format or signal\$1 or packet\$1) with (PCI near2 bus) with (IDE near2 bus)                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/06 14:36 |
| S57 | 8  | (transform\$3 or convert\$3 or format\$3) near4 (IDE) near4 (format\$1 or signal\$1 or data or command\$1 or request\$1) near4 PCI                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/04/07 11:57 |